

List of Important Health Questions Studies
01/02/08

Proposed Stage 1 Rule preamble, Disinfectants and Disinfection Byproducts, 59 FR 38668, 29 July 1994.

Final Stage 1 Rule preamble, Disinfectants and Disinfection Byproducts, 63 FR 69391, 16 December 1998.

Drinking Water Criteria Document for Chloramines, Smallwood C.L. et al; ECAO-CIN-D002, March 1994; Health and Ecological Criteria Division, Office of Science and Technology, Office of Water; USEPA, Cincinnati, OH.

Health Effects of Monochloramines in Drinking Water, Moore G.S., et al., J ENVIRON SCI HEALTH PART A ENVIRON SCI ENG; 15 (3). 1980.239-258.

Heterogeneous Dermatitis Complaints after Change in Drinking Water Treatment: A Case Report, Weintraub CM et al, Environmental Health: A Global Access Science Source 2006, 5:18.

Epidermal Hyperplasia in Mouse Skin Following Treatment with Alternative Drinking Water Disinfectants, Robinson M. et al, Environmental Health Perspectives, Vol. 69, pp. 293-300, 1986.

Conjunctivitis, Morrow M.D. G.L. et al, American Family Physician, Vol.57/No. 4, February 15, 1998.

<http://www.skincarephysicians.com/eczemanet/preventing.html> , Preventing Flare-ups, American Academy of Dermatology, 2007

<http://www.skincarephysicians.com/eczemanet/bathing.html> , Tips to Maximize the Benefits of Bathing and Moisturizing, American Academy of Dermatology, 2007.

<http://www.psoriasis.org/about/psoriasis/> , About Psoriasis, National Psoriasis Foundation/USEA, 2007.

<http://www.humidifierhealth.org/?go=health>, Humidifier Health, 2008. Tips to prevent bacterial and fungal respiratory problems from poorly maintained humidifiers.

Irritant Effect (Conjunctivitis) of Chlorine and Chloramines in Swimming Pool Water, Eichelsdorfer D. et al, Vom Wasser, Vol. 45, pp. 17-28 (1975).

Irritant Effects of Disinfection Byproducts in Swimming Pool Water, Erdinger, L. et al, Zent.bl. Hyg. Umweltmed. 200, 491-503; Hygiene Institute of Heidelberg University Medical Center, Department of Hygiene and Medical Microbiology. © Gustav Fischer Verlag 1997/98

Pathology of Ocular Irritation with Bleaching Agents in the Rabbit Low-volume Eye Test., Maurer et al, Toxicol Pathol. 2001 may-June; 29(3):308-19.

Inhalation Exposure to Haloacetic Acids and Haloketones during Showering, Xu X et al, Environmental Science and Technology. 37 (3): 569-576. 2003.

Dermal Uptake of Chloroform and Haloketones During Bathing. Xu X. et al, Journal of Exposure Analysis and Environmental Epidemiology. 1-8.

Human Respiratory Uptake of Chloroform and Haloketones During Showering, Journal of Exposure Analysis and Environmental Epidemiology. 15:6-16.

The Feasibility of Conducting Cumulative Risk Assessments for Mixtures of Disinfection-by-products in Drinking Water, Teuschler, T.K., et al, EPA/600/R03/051, June 2003, National Center for Environmental Assessment., USEPA, Cincinnati, OH. Developing Human Exposure Estimates for Individual DBPs, USEPA, March 2002.

Bladder Cancer in Massachusetts Related to Chlorinated and Chloraminated Drinking Water: A Case-Control Study, Zierler, S., et al, Archives of Environmental Health, Vol. 43 (No.2). pp. 195-200. March/April 1988.

Case-control Study of Bladder Cancer and Water Disinfection Methods in Colorado., McGeehin, MA., et al, Am J Epidemiol. 1993 Oct 1; 138(7):492-501.

Bladder Cancer, Drinking Water Source, and Tap Water Consumption: A Case-Control Study. Kenneth P. Cantor, *et. al.*. JNCI, Vol. 79, No. 6, December 1987.

Immunotoxicologic Evaluation of Chlorine-based Drinking Water Disinfectants, Sodium Hypochlorite and Monochloramine, Exon, JH., et al, Toxicology, 1987 June, 44(3):257-69.

Effects of Drinking Water Monochloramine on Lipid and Thyroid Metabolism in Healthy Men., Environ Health Perspect. 1993, Mar: 99:369-74.

Controlled Clinical Evaluations of Chlorine Dioxide, Chlorite and Chlorate in Man, Lubbers, J. R., Chauhan, S., and Bianchine, J. R. (1981).. *Fundam. Appl. Toxicol.* 1, 334-338. (Describes a controlled clinical evaluation of human volunteers exposed to chloramine, chlorine, chlorine dioxide, sodium chlorite, and sodium chlorate in their drinking water).

Effects of Subchronic Exposure of Rats to Dichloramine and Trichloramine in Drinking Water, Nakai, et al, Regulatory Toxicology and Pharmacology 31, 200-209 (2000) doi:10.1006/rtph.2000.1376, available online at <http://www.idealibrary.com>

Time Persistence of Monochloramine in Human Saliva and Stomach Fluid. Environ Sci Technol; 26(2). 1992. p. 302-306.

Effects of Subchronic Exposure of Monochloramine in Drinking Water on Male Rats. Poon R, et al; Regul Toxicol Pharmacol. 1997 Apr; 25(2):166-75.

Quantitation and Identification of Organic N-Chloramines Formed in Stomach Fluid on Ingestion of Aqueous Hypochlorite, Scully, F.E., et al, Environmental Health Perspectives Vol. 69, pp. 259-265, 1986

Reproductive Effects of Alternative Disinfectants, Carlton, B.D. et al. Environmental Health Perspectives Vol. 69, pp. 237-241, 1986

Ammonia in Drinking Water, World Health Organization, 1997.

Ammonia, USEPA Working Group, Vol:EPA/600/8-88/017 (1987) p. 52.

Ammonia, NIOSH Publication Number 205-151; September 2005.

Ammonia: TLV Chemical Substances 7th Edition Documentation; American Congress of Industrial Hygienists, ACGIH Publication # 7-DOC-027. 2001.

Household Products Database, National Institutes of Health (NIH), List of common skin care products containing ammonium sulfate.

21 CFR 184.1143 Ammonium Sulfate – Substances Added Directly to Human Food Affirmed as Generally Recognized as Safe.

Nitrogen Trichloride (Trichloramine), OSHA Safety and Health Topics, 06/11/03.